C50

Product data

| General | |
|---------------------------------|--|
| Wearing style | On-ear, double-sided headband |
| Transducer principle | Dynamic, closed |
| Weight | 229 g |
| Connectivity | Bluetooth®, USB-A dongle |
| Compatibility | Mobile devices, PC/Mac® |
| Multi-point connectivity | Yes (dual) |
| Battery life | Listening time: up to 46 h (ANC off) / up to 24 h (ANC on) Talking time: up to 41 h (ANC off) / up to 24 h (ANC on) |
| Charging time | 3 hours 40 min. |
| Range | 25 m |
| Bluetooth® version | 5.0 |
| Certifications | Microsoft Teams*, Zoom* and optimized for UC |
| Warranty | 2 years, international |
| Headphones | |
| Noise cancellation | Hybrid ANC technology with 4 microphones |
| EPOS Voice™ technology | For a clear and natural listening experience |
| Driver size | 44 mm |
| Frequency response | 20 - 20,000 Hz |
| Impedance | 32Ω |
| Total Harmonic Distortion (THD) | 0.3% @ 1kHz, OdB FS |
| | |

| Microphones | |
|--|--|
| Micropriories | |
| Frequency response | 100 - 10,000 Hz |
| Pick-up pattern | Omni-directional |
| Noise-cancelling | Yes |
| Sensitivity | -40 dBV / Pa @ 1 kHz |
| Style | Short foldable boom arm |
| | |
| Hearing protection | |
| EPOS ActiveGard® technology | Protects users against acoustic injury caused |
| | by sudden sound burst on the line |
| Sound pressure | max. 108 dB |
| EU Noise at Work limiter** | Enhanced audio protection preventing listening fatigue, |
| | average 85 dB over a workday |
| | |
| Packaging | |
| Dimension of product packaging (L x W x H) | 207 x 183 x 65 mm |
| Package weight | 600 q |
| (incl. complete product and packaging) | |
| Dimension of master carton (L x W x H) | 507 x 442 x 208 mm |
| | |
| Units in distributor master carton | 10 |
| Languages | English, German, French, Spanish, Russian, Japanese, Chinese |

C₅C

Product data

Content of delivery

What's in the box

C50 Headset, BTD 800 USB dongle, USB charging cable, carry case, quick guide, safety guide, compliance sheet

Software

The following software solutions can be used with this device:

EPOS Connect

Computer software to update your headset with the latest firmware and personalize your audio device settings.

EPOS Connect works for Windows and Mac®.

eposaudio.com/software-epos-connect

^{*} Microsoft Teams and Zoom certifications apply when the BTD 800 USB dongle is connected to PC or Mac®.

^{**} In compliance with EU Noise at Work legislation (Directive 2003/10/EC)

C50

Product overview

| Product | Art. no. | Color | Description | EAN / UPC code |
|-------------|----------|-------|--|---|
| C50 - Black | 1001147 | Black | On-ear double-sided wireless communication headset with ANC and USB dongle | EAN: 57 14708 00949 8 UPC: 8 40064 40949 0 |

Spare parts/Accessories

| Product | Art. no. | Description | EAN / UPC code |
|-------------------------------|----------|--|---|
| ADAPT 560 II / C50 earpads | 1001186 | Leatherette earpads for C50 headset | EAN: 57 14708 00990 0 UPC: 8 40064 40990 2 |
| ADAPT 560 / C50 carry case | 1000258 | Carry case for C50 headset | EAN: 57 14708 00059 4 UPC: 8 40064 40059 6 |
| USB-C Cable | 1000211 | USB charging cable for C50 headset | EAN: 57 14708 00012 9 UPC: 8 40064 40012 1 |
| BTD 800a | 1001148 | USB-A Bluetooth® dongle for C50 headset | EAN: 57 14708 00950 4 UPC: 8 40064 40950 6 |

